

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:47
S2	33	decrypt\$4 keys same (configuration or boot) same (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:08
S3	67	(configurat\$4 or boot) near "3" register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:48
S4	54741	(PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:49
S5	12	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:52
S6	186	configuration data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:52
S7	36	S4 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 12:59
S8	22	S4 and (microcontoller or microprocessor) near5 data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:00

S9	3787	713/1.ccls. or 713/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:03
S10	261	S4 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:04
S11	3035	713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:05
S12	174	S4 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:05
S13	1042	380/44.ccls. or 380/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:08
S14	7743	S9 or S11 or S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:08
S15	367	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:09
S16	59	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 13:55
S17	3	minimum with maximum same ROM same program counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/15 14:12
S18	2	10/714380	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/25 16:30

S19	7	boot same (FPGA or PLD) same configuration same encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:52
S20	177	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/27 09:52
S21	31	(PLD or FPGA) same (microcontroller or microprocessor) same key same (configuration or initialization or boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 12:42
S22	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 12:46
S23	80	(configuration or initialization or boot) same (register or memory) same (prevent \$4 or deni\$4 or cannot) same access\$4 same (FPGA or PLD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 13:22
S24	15	(key storage) same (FPGA or PLD) same (encrypt\$4 or decrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 14:09
S25	36	(key (storage or memory)) same (FPGA or PLD) same (encrypt \$4 or decrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 14:09
S26	819	716/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:58
S27	497	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59

S28	201	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S29	27	(S27 or S28) and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S30	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S31	46	decrypt\$4 keys same (configuration or boot) same (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S32	73	(configurat\$4 or boot) near "3" register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S33	69734	(PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S34	12	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S35	218	configuration data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S36	45	S33 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S37	23	S33 and (microcontoller or microprocessor) near5 data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59

S38	4403	713/1.ccls. or 713/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S39	334	S33 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S40	3851	713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S41	241	S33 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S42	1224	380/44.ccls. or 380/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S43	9311	S38 or S40 or S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S44	497	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S45	77	S43 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S46	3	minimum with maximum same ROM same program counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S47	3	10/714380	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59

S48	8	boot same (FPGA or PLD) same configuration same encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S49	201	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S50	31	(PLD or FPGA) same (microcontroller or microprocessor) same key same (configuration or initialization or boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S51	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S52	80	(configuration or initialization or boot) same (register or memory) same (prevent \$4 or deni\$4 or cannot) same access\$4 same (FPGA or PLD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S53	15	(key storage) same (FPGA or PLD) same (encrypt\$4 or decrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S54	36	(key (storage or memory)) same (FPGA or PLD) same (encrypt \$4 or decrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/14 17:59
S55	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S56	55	decrypt\$4 keys same (configuration or boot) same (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S57	77	(configuration or boot) near "3" register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S58	77981	(PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S59	13	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S60	234	configuration data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S61	53	S58 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S62	24	S58 and (microcontroller or microprocessor) near data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S63	4786	713/1.ccls. or 713/2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S64	365	S58 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S65	4235	713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S66	274	S58 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S67	1381	380/44.ccls. or 380/45.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S68	10208	S63 or S65 or S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S69	564	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S70	88	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S71	3	minimum with maximum same ROM same program counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S72	5	10/714380	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S73	8	boot same (FPGA or PLD) same configuration same encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S74	242	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S75	31	(PLD or FPGA) same (microcontroller or microprocessor) same key same (configuration or initialization or boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S76	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S77	92	(configuration or initialization or boot) same (register or memory) same (prevent \$4 or deni\$4 or cannot) same access\$4 same (FPGA or PLD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S78	16	(key storage) same (FPGA or PLD) same (encrypt\$4 or decrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S79	40	(key (storage or memory)) same (FPGA or PLD) same (encrypt \$4 or decrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S80	909	716/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S81	564	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S82	242	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S83	27	(S81 or S82) and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S84	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S85	55	decrypt\$4 keys same (configuration or boot) same (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S86	77	(configurat\$4 or boot) near "3" register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S87	77981	(PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S88	13	S86 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S89	234	configuration data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S90	53	S87 and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S91	24	S87 and (microcontoller or microprocessor) near5 data register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S92	4786	713/1.ccls. or 713/2. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S93	365	S87 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S94	4235	713/189.ccls. or 713/190.ccls. or 713/191.ccls. or 713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S95	274	S87 and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S96	1381	380/44.ccls. or 380/45. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S97	10208	S92 or S94 or S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S98	564	decrypt\$4 keys and (configuration or boot) and (PLD or programmable logic device or FPGA or field programmable logic array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S99	88	S97 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S100	3	minimum with maximum same ROM same program counter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S101	5	10/714380	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S102	8	boot same (FPGA or PLD) same configuration same encrypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S103	242	boot same (FPGA or PLD) same configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47

S104	31	(PLD or FPGA) same (microcontroller or microprocessor) same key same (configuration or initialization or boot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S105	2	"6496971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S106	92	(configuration or initialization or boot) same (register or memory) same (prevent \$4 or deni\$4 or cannot) same access\$4 same (FPGA or PLD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S107	16	(key storage) same (FPGA or PLD) same (encrypt\$4 or decrypt \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S108	40	(key (storage or memory)) same (FPGA or PLD) same (encrypt \$4 or decrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 11:47
S109	5	10/714380	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/09 14:26
S110	71	("20010015919" "20010032318" "20010037458" "20020018561" "20020059518" "20020064282" "20020069257" "20030091185" "3849760" "4037214" "4757468" "5084636" "5091938" "5121359" "5237218" "5237219" "5293424" "5321704" "5327564" "5341034" "5343406" "5349249" "5375169" "5388157" "5394031" "5442704"	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/09/09 14:33

		"5457408" "5594793" "5598424" "5748740" "5768372" "5774544" "5838901" "5914616" "5930826" "5933023" "6028445" "6049222" "6058477" "6118869" "6172520" "6212639" "6237124" "6259791" "6305005" "6324676" "6330668" "6331784" "6356637" "6366117" "6441641" "6442092" "6473861" "6477677" "6598161" "6636971" "6662333" "6785816" "6823069" "6883075" "6904527" "6931128" "6931543" "6948026" "6957340" "RE34363" "RE37195").PN. OR ("7219237").URPN.				
S111	2	"6971015".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 12:46
S112	2	"5991858".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 13:13
S113	2	"6487649".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 13:17

1/ 14/ 2009 3:11:28 PM

C:\ Documents and Settings\ rmoran\ My Documents\ EAST\ Workspaces\ 10714380.wsp